



PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant(s)	James Mantyla	Examiner:	Eloshway, C.R.
Serial No.:	10/067,606	Group Art Unit:	3751 #7/A
Confirmation No.:	5890	Docket:	669-78
Filed:	February 5, 2002	Dated:	August 7, 2003
For:	P-TRAP FOR DRAINAGE SYSTEMS		

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

*I hereby certify this correspondence is being deposited with  
the United States Postal Service as first class mail, postpaid  
in an envelope, addressed to: Commissioner for Patents,  
P.O. Box 1450, Alexandria, Virginia 22313-1450  
on August 7, 2003*

Signed: *mjmulli / mjmullin*

**RECEIVED**

AUG 14 2003

TECHNOLOGY CENTER R3700

**AMENDMENT**

Sir:

This is in response to the non-final office action dated March 7, 2003 to which a response was first due on June 7, 2003. A request for an extension of time of two months accompanies this request. It is therefore submitted that this response is timely.

In response to the office action, the applicant proposes to amend the application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendment to the Claims** are reflected in the listing of claims which begins on page 4 of this paper.

**Remarks** begin on page 9 of this paper.